



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ITA020040
SITENAME Monte Zimmara (Gangi)

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code ITA020040	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monte Zimmara (Gangi)

1.4 First Compilation date 1998-06	1.5 Update date 2019-12
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Siciliana Ass.to Territorio e Ambiente Servizio 4°
Address: Via Ugo La Malfa 169 - 90146 Palermo
Email:

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	2015-12
National legal reference of SAC designation:	DM 21/12/2015 - G.U. 8 del 12-01-2016

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 14.253333 **Latitude** 37.749167

2.2 Area [ha]: 1783.0 **2.3 Marine area [%]:** 0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name

2.6 Biogeographical Region(s)

Mediterranean (100.0 %)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3150 F			1.0		M	C	C	B	C
5330 F			0.1		P	D			
6220 F			100.67		M	C	C	B	C
6420 F			4.5		P	D			
6510 F			1032.05		M	C	C	C	C
8210 F			5.77		P	D			
91AA F			55.8		P	D			
92A0 F			0.07		P	D			

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A413	Alectoris graeca whitakeri			p				R	DD	A	B	B	B
B	A243	Calandrella brachydactyla			r				P	DD	C	B	C	B
B	A224	Caprimulgus europaeus			r				P	DD	B	B	B	B
R	5370	Emys trinacris			p				R	DD	C	B	B	B
B	A101	Falco biarmicus			p				P	DD	C	B	B	B
B	A093	Hieraetus fasciatus			p				P	DD	A	B	A	B
P	1790	Leontodon siculus			p				V	DD	C	B	C	B
B	A242	Melanocorypha calandra			p				P	DD	C	B	C	B
B	A074	Milyus milvus			w				P	DD	D			

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Aceras anthropophorum						R				X		
P		Aceras anthropophorum						R				X		
P		Anacamptis pyramidalis						R					X	
P		Anacamptis pyramidalis						R					X	
P		Antinoria agrostidea						R						X

P		Orchis papilionacea var. grandiflora						R						X	
R	1244	Podarcis wagleriana						R	X						
R	1244	Podarcis wagleriana						R	X						
P		Potamogeton natans						R							X
P		Potamogeton natans						R							X
P		Potamogeton polygonifolius						V				X			
P		Potamogeton polygonifolius						V				X			
P	1849	Ruscus aculeatus						R		X					
P	1849	Ruscus aculeatus						R		X					
P		Serapias vomeracea						R						X	
P		Serapias vomeracea						R						X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N12	3.0
N18	2.0
N06	5.0
N10	75.0
N16	5.0
N08	10.0
Total Habitat Cover	100

Other Site Characteristics

Il sito si localizza nelle cosiddette Alte Madonie, dove si estende per una superficie complessiva di 1.043,58 ettari, interessando il territorio del comune di Gangi (prov. Palermo) ed, in minor misura, quello di Sperlinga (prov. Enna). Esso si sviluppa nell'ambito di un vasto complesso orografico che raggiunge le massime elevazioni nelle vette di Pizzo di Gallo (m 1162), Rocca Pizzuta (m 1125), Quattro Finaite (m 1313), Canale (m 1332), Zimmara (m 1333) e Minardo (m 1313). Nel territorio predominano essenzialmente i terreni di natura argilloso-quarzarenitici, attribuiti alle serie mioceniche e plioceniche; dal punto di vista bioclimatico, l'area è compresa fra il mesomediterraneo ed il supramediterraneo subumido, con piovosità media talora anche prossima ai 1000 mm. Il biotopo si inserisce in un ampio comprensorio interessato quasi uniformemente da secoli da un'agricoltura estensiva con indirizzo cerealicolo-zootecnico; le stesse aree sono localmente note con il termine di "campii", mentre le aree boscate risultano alquanto rarefatte. Nel territorio si conservano un vasto sistema di ambienti umidi naturali, seppur singolarmente di modesta estensione.

4.2 Quality and importance

Si tratta di un biotopo di notevole interesse floro-faunistico e fitocenotico, in quanto le pozze naturali, seppur esigue, presentano un rilevante interesse floristico-fitocenotico, nonché faunistico. Lungo i margini esterni sono rappresentate delle fitocenosi igro-idrofittiche diversificate dalla presenza di specie peculiari, con diverse entità che nell'area regionale sono divenute alquanto rare ed in via di scomparsa, alcune delle quali ritenute anche di rilevanza fitogeografia. Tali specie sono comprese fra quelle menzionate nell'elenco riportato nella sezione 3.3 (D).

4.3 Threats, pressures and activities with impacts on the site

4.4 Ownership (optional)

4.5 Documentation

ABATE B., DI STEFANO E., FERRUZZA G., INCANDELA A., RENDA P., 1993 - Fase tettonica pliocenica nelle Madonie (Sicilia centro-settentrionale). - Rivista Mineraria Siciliana, 6 (168): 37-45. BRULLO S., 1983 - Contributo alla conoscenza della vegetazione delle Madonie (Sicilia Settentrionale) - Boll. Acc. Gioenia Sci. Nat., Catania 16, 232:351-420. BULGARINI F., CALVARIO E., FRATICELLI F., PETRETTI F., SARROCCO S. (EDS), 1998 - Libro Rosso degli Animali d'Italia - Vertebrati. WWF Italia, Roma. CONTI F., MANZI A., PEDROTTI F., 1992 - Libro rosso delle piante d'Italia. - Società Botanica Italiana e Associazione Italiana per il World Wildlife Fund, Camerino, 637 pp. CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. - Società Botanica Italiana e Associazione Italiana per il World Wildlife Fund, pp. 104. Camerino (MC). LENTINI F., VEZZANI L., 1978 - Carta geologica delle Madonie (Sicilia centro-settentrionale). Firenze. LO VALVO F. 1998 - Status e conservazione dell'erpetofauna siciliana. Naturalista sicil. XXII: 53-71. LO VALVO M., MASSA B. & SARÀ M., 1993 - Uccelli e paesaggio in Sicilia alle soglie del terzo millennio. Naturalista sicil. XVII:1-37. LOJACONO-POJERO M., 1888-1909 - Flora Sicula o descrizione delle piante spontanee o indigenate in Sicilia. - Palermo, 5 voll. LORENZ R. & LORENZ K., 2002 - Zur Orchideenflora zirkumsizilianischer Inseln. - Jber. naturwiss. Ver. Wuppertal, 55: 100-162. RAIMONDO F.M., BAZAN G., GIANGUZZI L., ILARDI V., SCHICCHI R., SURANO N., 2000 - Carta del paesaggio e della biodiversità vegetale della Provincia di Palermo (Tav. 10: Alimena-Gangi). - Quad. Bot. Ambientale Appl., 9 (1998). II: Allegati cartografici (Tav.1-10). RAIMONDO F.M., GIANGUZZI L., ILARDI V., 1994 - Inventario delle specie "a rischio" nella flora vascolare nativa della Sicilia. - Quad. Bot. Ambientale Appl., 3 (1992): 65-132.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
------	-----------	------	-----------	------	-----------

IT13	3.0
------	-----

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piano di gestione Residui boschivi e zone umide dell'ennese-palermitano decreto n. 562 del 16/08/2010 Link:
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

125060 125020 1:10000 Gauss-Boaga Ovest