



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE ITA040002  
SITENAME Isola di Lampedusa e Lampione

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> B	<b>1.2 Site code</b> ITA040002	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Isola di Lampedusa e Lampione

<b>1.4 First Compilation date</b> 1998-06	<b>1.5 Update date</b> 2019-12
--	-----------------------------------

### 1.6 Respondent:

**Name/Organisation:** Regione Siciliana Ass.to Territorio e Ambiente Servizio 4°  
**Address:** Via Ugo La Malfa 169 - 90146 Palermo  
**Email:**

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	0000-00
<b>National legal reference of SPA designation</b>	No data
<b>Date site proposed as SCI:</b>	1995-09
<b>Date site confirmed as SCI:</b>	No data
<b>Date site designated as SAC:</b>	2015-12
<b>National legal reference of SAC designation:</b>	DM 21/12/2015 - G.U. 8 del 12-01-2016

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)

**Longitude** 12.562778      **Latitude** 35.514444

**2.2 Area [ha]:** 1406.0      **2.3 Marine area [%]:** 7.0

### 2.4 Sitelength [km]:

0.0

### 2.5 Administrative region code and name

<b>NUTS level 2 code</b>	<b>Region Name</b>
--------------------------	--------------------

## 2.6 Biogeographical Region(s)

Mediterranean (100.0  
%)

## 3. ECOLOGICAL INFORMATION

### 3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1170			20.45		M	B	C	B	B
1210			0.3		G	B	C	B	B
1240			54.91		G	B	C	B	B
1420			0.43		G	B	C	B	B
1430			13.45		G	B	C	B	B
2110			0.12		G	D			
2210			0.55		G	D			
2230			0.2		G	B	C	B	B
3140			0.2		G	B	C	B	B
3170			0.2		G	B	C	B	B
5210			0.1		M	D			
5330			16.13		G	B	C	B	B
5430			375.66		M	B	C	B	B
6220			531.11		G	C	C	B	C
8210			109.0		M	B	C	B	B
9320			11.0		P	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A298	<a href="#">Acrocephalus arundinaceus</a>			c				P	DD	C	A	B	A
B	A295	<a href="#">Acrocephalus schoenobaenus</a>			c				P	DD	C	A	B	A
B	A297	<a href="#">Acrocephalus scirpaceus</a>			c				P	DD	C	A	B	A
B	A168	<a href="#">Actitis hypoleucos</a>			c				P	DD	C	A	B	A
B	A247	<a href="#">Alauda arvensis</a>			c				P	DD	C	A	B	A
B	A229	<a href="#">Alcedo atthis</a>			c				P	DD	C	A	B	A
B	A054	<a href="#">Anas acuta</a>			c				P	DD	C	A	B	A
B	A053	<a href="#">Anas platyrhynchos</a>			c				P	DD	C	A	B	A
B	A055	<a href="#">Anas querquedula</a>			c				P	DD	C	A	B	A
B	A255	<a href="#">Anthus campestris</a>			c				P	DD	A	B	C	B
B	A258	<a href="#">Anthus cervinus</a>			c				P	DD	C	A	B	A
B	A257	<a href="#">Anthus pratensis</a>			c				P	DD	C	A	B	A
B	A256	<a href="#">Anthus trivialis</a>			c				P	DD	C	A	B	A
B	A226	<a href="#">Apus apus</a>			r				P	DD	C	A	B	A
B	A228	<a href="#">Apus melba</a>			c				P	DD	C	A	B	A
B	A227	<a href="#">Apus pallidus</a>			c				P	DD	C	A	B	A
B	A028	<a href="#">Ardea cinerea</a>			c				P	DD	C	A	B	A
B	A029	<a href="#">Ardea purpurea</a>			c				P	DD	C	B	B	B
B	A024	<a href="#">Ardeola ralloides</a>			c				P	DD	C	A	B	A

B	A222	<a href="#">Asio flammeus</a>			c				P	DD	C	A	B	A
B	A221	<a href="#">Asio otus</a>			c				P	DD	C	A	B	A
I	4047	<a href="#">Brachytrapes megacephalus</a>			p				R	DD	D			
B	A133	<a href="#">Burhinus oedicnemus</a>			c				P	DD	C	A	B	A
B	A087	<a href="#">Buteo buteo</a>			c				P	DD	C	A	B	A
B	A243	<a href="#">Calandrella brachydactyla</a>			r				P	DD	B	B	C	B
B	A145	<a href="#">Calidris minuta</a>			c				P	DD	C	A	B	A
B	A010	<a href="#">Calonectris diomedea</a>			c				P	DD	A	A	C	A
B	A010	<a href="#">Calonectris diomedea</a>			w				P	DD	A	A	C	A
B	A010	<a href="#">Calonectris diomedea</a>			r				P	DD	A	A	C	A
B	A224	<a href="#">Caprimulgus europaeus</a>			c				P	DD	C	B	B	B
B	A366	<a href="#">Carduelis cannabina</a>			c				P	DD	C	A	B	A
B	A363	<a href="#">Carduelis chloris</a>			c				P	DD	C	A	B	A
R	1224	<a href="#">Caretta caretta</a>			p				R	DD	A	C	A	C
B	A268	<a href="#">Cercotrichas galactotes</a>			c				P	DD	D			
B	A138	<a href="#">Charadrius alexandrinus</a>			c				P	DD	C	A	B	A
B	A136	<a href="#">Charadrius dubius</a>			c				P	DD	C	A	B	A
B	A137	<a href="#">Charadrius hiaticula</a>			c				P	DD	C	A	B	A
B	A139	<a href="#">Charadrius morinellus</a>			c				P	DD	C	A	B	A
B	A198	<a href="#">Chlidonias leucopterus</a>			c				P	DD	C	A	B	A
B	A031	<a href="#">Ciconia ciconia</a>			c				P	DD	C	A	B	A
B	A030	<a href="#">Ciconia nigra</a>			c				P	DD	C	A	B	A
B	A081	<a href="#">Circus aeruginosus</a>			c				P	DD	C	A	B	A
B	A082	<a href="#">Circus cyaneus</a>			c				P	DD	C	A	B	A
B	A083	<a href="#">Circus macrourus</a>			c				P	DD	C	A	B	A
B	A084	<a href="#">Circus pygargus</a>			c				P	DD	C	A	B	A
B	A208	<a href="#">Columba palumbus</a>			c				P	DD	C	A	B	A
B	A231	<a href="#">Coracias garrulus</a>			c				P	DD	C	A	B	A
B	A113	<a href="#">Coturnix coturnix</a>			c				P	DD	C	A	B	A
B	A212	<a href="#">Cuculus canorus</a>			c				P	DD	D			
B	A253	<a href="#">Delichon urbica</a>			c				P	DD	C	A	B	A
P	1468	<a href="#">Dianthus rupicola</a>			p				R	DD	C	B	A	B
B	A026	<a href="#">Egretta garzetta</a>			c				P	DD	C	B	C	B
P	4092	<a href="#">Elatine gussonei</a>			p				V	DD	A	C	A	C
B	A269	<a href="#">Erithacus rubecula</a>			c				P	DD	C	A	B	A
B	A100	<a href="#">Falco eleonorae</a>			r				P	DD	A	B	C	A
B	A095	<a href="#">Falco naumanni</a>			c				P	DD	C	A	B	A
B	A103	<a href="#">Falco peregrinus</a>			p				R	DD	B	B	A	A
B	A099	<a href="#">Falco subbuteo</a>			c				P	DD	C	A	B	A
B	A096	<a href="#">Falco tinnunculus</a>			c				P	DD	C	A	B	A
B	A097	<a href="#">Falco vespertinus</a>			c				P	DD	C	A	B	A
B	A321	<a href="#">Ficedula albicollis</a>			c				P	DD	C	B	C	B
B	A322	<a href="#">Ficedula hypoleuca</a>			c				P	DD	C	A	B	A
B	A320	<a href="#">Ficedula parva</a>			c				P	DD	C	A	B	A
B	A442	<a href="#">Ficedula semitorquata</a>			c				R	DD	D			
B	A359	<a href="#">Fringilla coelebs</a>			c				P	DD	C	A	B	A
B	A125	<a href="#">Fulica atra</a>			c				P	DD	C	A	B	A
B	A153	<a href="#">Gallinago gallinago</a>			c				P	DD	C	A	B	A
B	A123	<a href="#">Gallinula chloropus</a>			c				P	DD	C	A	B	A
B	A127	<a href="#">Grus grus</a>			c				P	DD	C	A	B	A
B	A092	<a href="#">Hieraetus pennatus</a>			c				P	DD	C	A	B	A
B	A131	<a href="#">Himantopus himantopus</a>			c				P	DD	C	A	B	A
B	A299	<a href="#">Hippolais icterina</a>			c				P	DD	C	A	B	A
B	A438	<a href="#">Hippolais pallida</a>			c				P	DD	D			
B	A300	<a href="#">Hippolais polyglotta</a>			c				P	DD	C	A	B	A
B	A252	<a href="#">Hirundo daurica</a>			c				P	DD	C	A	B	A
B	A251	<a href="#">Hirundo rustica</a>			c				P	DD	D			
B	A014	<a href="#">Hydrobates pelagicus</a>			p				P	DD	A	A	B	A
B	A022	<a href="#">Ixobrychus minutus</a>			c				P	DD	C	A	B	A
B	A233	<a href="#">Jynx torquilla</a>			c				P	DD	C	A	B	A

B	A338	<a href="#">Lanius collurio</a>			c				P	DD	C	A	B	A
B	A341	<a href="#">Lanius senator</a>			c				P	DD	D			
B	A181	<a href="#">Larus audouinii</a>			c				P	DD	C	A	B	A
B	A183	<a href="#">Larus fuscus</a>			c				P	DD	C	A	B	A
B	A180	<a href="#">Larus genei</a>			c				P	DD	C	A	B	A
B	A176	<a href="#">Larus melanocephalus</a>			w				P	DD	C	B	C	B
B	A604	<a href="#">Larus michahellis</a>			r				P	DD	C	A	B	A
B	A179	<a href="#">Larus ridibundus</a>			c				P	DD	C	A	B	A
B	A292	<a href="#">Locustella luscinioides</a>			c				P	DD	C	A	B	A
B	A246	<a href="#">Lullula arborea</a>			c				P	DD	C	A	B	A
B	A271	<a href="#">Luscinia megarhynchos</a>			c				P	DD	C	A	B	A
B	A242	<a href="#">Melanocorypha calandra</a>			c				P	DD	C	A	B	A
B	A230	<a href="#">Merops apiaster</a>			c				P	DD	C	A	B	A
B	A383	<a href="#">Miliaria calandra</a>			c				P	DD	C	A	B	A
B	A073	<a href="#">Milvus migrans</a>			c				P	DD	C	A	B	A
M	1310	<a href="#">Miniopterus schreibersii</a>			p				P	DD	D			
B	A280	<a href="#">Monticola saxatilis</a>			c				P	DD	C	A	B	A
B	A281	<a href="#">Monticola solitarius</a>			c				P	DD	C	A	B	A
B	A262	<a href="#">Motacilla alba</a>			c				P	DD	C	A	B	A
B	A261	<a href="#">Motacilla cinerea</a>			c				P	DD	C	A	B	A
B	A260	<a href="#">Motacilla flava</a>			c				P	DD	C	A	B	A
B	A319	<a href="#">Muscicapa striata</a>			c				P	DD	C	A	B	A
M	1324	<a href="#">Myotis myotis</a>			p				P	DD	D			
B	A023	<a href="#">Nycticorax nycticorax</a>			c				P	DD	C	B	A	B
B	A278	<a href="#">Oenanthe hispanica</a>			c				P	DD	D			
B	A277	<a href="#">Oenanthe oenanthe</a>			c				P	DD	C	A	B	A
B	A337	<a href="#">Oriolus oriolus</a>			c				P	DD	C	A	B	A
B	A214	<a href="#">Otus scops</a>			c				P	DD	D			
B	A094	<a href="#">Pandion haliaetus</a>			c				P	DD	C	A	B	A
B	A355	<a href="#">Passer hispaniolensis</a>			c				P	DD	C	A	B	A
B	A072	<a href="#">Pernis apivorus</a>			c				P	DD	C	B	A	B
B	A392	<a href="#">Phalacrocorax aristotelis desmarestii</a>			p				P	DD	B	B	A	A
B	A017	<a href="#">Phalacrocorax carbo</a>			w				P	DD	D			
B	A151	<a href="#">Philomachus pugnax</a>			c				P	DD	C	A	B	A
B	A663	<a href="#">Phoenicopus roseus</a>			c				P	DD	C	A	B	A
B	A273	<a href="#">Phoenicurus ochruros</a>			c				P	DD	C	A	B	A
B	A274	<a href="#">Phoenicurus phoenicurus</a>			c				P	DD	D			
B	A313	<a href="#">Phylloscopus bonelli</a>			c				P	DD	C	A	B	A
B	A315	<a href="#">Phylloscopus collybita</a>			c				P	DD	C	A	B	A
B	A314	<a href="#">Phylloscopus sibilatrix</a>			c				P	DD	C	A	B	A
B	A316	<a href="#">Phylloscopus trochilus</a>			c				P	DD	C	A	B	A
B	A034	<a href="#">Platalea leucorodia</a>			c				P	DD	C	A	B	A
B	A032	<a href="#">Plegadis falcinellus</a>			c				P	DD	C	A	B	A
B	A140	<a href="#">Pluvialis apricaria</a>			c				P	DD	C	A	B	A
B	A005	<a href="#">Podiceps cristatus</a>			c				P	DD	C	A	B	A
B	A008	<a href="#">Podiceps nigricollis</a>			c				P	DD	C	A	B	A
B	A266	<a href="#">Prunella modularis</a>			c				P	DD	C	A	B	A
B	A464	<a href="#">Puffinus yelkouan</a>			p	500	500	p		G	B	A	B	A
B	A318	<a href="#">Regulus ignicapillus</a>			c				P	DD	C	A	B	A
M	1304	<a href="#">Rhinolophus ferrumequinum</a>			p				P	DD	D			
B	A249	<a href="#">Riparia riparia</a>			c				P	DD	C	A	B	A
B	A275	<a href="#">Saxicola rubetra</a>			c				P	DD	C	A	B	A
B	A276	<a href="#">Saxicola torquata</a>			c				P	DD	C	A	B	A
B	A155	<a href="#">Scolopax rusticola</a>			c				P	DD	C	A	B	A
B	A173	<a href="#">Stercorarius parasiticus</a>			c				P	DD	C	A	B	A
B	A190	<a href="#">Sterna caspia</a>			c				P	DD	C	A	B	A
B	A191	<a href="#">Sterna sandvicensis</a>			c				P	DD	C	A	B	A
B	A210	<a href="#">Streptopelia turtur</a>			c				P	DD	D			
B	A351	<a href="#">Sturnus vulgaris</a>			c				P	DD	C	A	B	A

B	A311	<a href="#">Sylvia atricapilla</a>			c				P	DD	C	A	B	A
B	A310	<a href="#">Sylvia borin</a>			c				P	DD	C	A	B	A
B	A304	<a href="#">Sylvia cantillans</a>			c				P	DD	C	A	B	A
B	A309	<a href="#">Sylvia communis</a>			c				P	DD	C	A	B	A
B	A303	<a href="#">Sylvia conspicillata</a>			c				P	DD	C	A	B	A
B	A308	<a href="#">Sylvia curruca</a>			c				P	DD	C	A	B	A
B	A306	<a href="#">Sylvia hortensis</a>			c				P	DD	C	A	B	A
B	A305	<a href="#">Sylvia melanocephala</a>			c				P	DD	C	A	B	A
B	A301	<a href="#">Sylvia sarda</a>			c				P	DD	C	A	B	A
B	A302	<a href="#">Sylvia undata</a>			c				P	DD	C	A	B	A
B	A004	<a href="#">Tachybaptus ruficollis</a>			c				P	DD	C	A	B	A
B	A048	<a href="#">Tadorna tadorna</a>			c				P	DD	C	A	B	A
R	1217	<a href="#">Testudo hermanni</a>			p				V	DD	C	C	A	C
B	A166	<a href="#">Tringa glareola</a>			c				P	DD	C	A	B	A
B	A164	<a href="#">Tringa nebularia</a>			c				P	DD	C	A	B	A
B	A162	<a href="#">Tringa totanus</a>			c				P	DD	C	A	B	A
B	A286	<a href="#">Turdus iliacus</a>			c				P	DD	C	A	B	A
B	A283	<a href="#">Turdus merula</a>			c				P	DD	C	A	B	A
B	A285	<a href="#">Turdus philomelos</a>			c				P	DD	C	A	B	A
B	A284	<a href="#">Turdus pilaris</a>			c				P	DD	C	A	B	A
B	A282	<a href="#">Turdus torquatus</a>			c				P	DD	C	A	B	A
B	A287	<a href="#">Turdus viscivorus</a>			c				P	DD	C	A	B	A
B	A213	<a href="#">Tyto alba</a>			c				P	DD	C	A	B	A
B	A232	<a href="#">Upupa epops</a>			c				P	DD	C	A	B	A
B	A142	<a href="#">Vanellus vanellus</a>			c				P	DD	C	A	B	A

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
I		<a href="#">Actenodia distincta</a>						R						X
I		<a href="#">Aelurillus lopadusae</a>						R				X		
I		<a href="#">Alaocyba lampedusae</a>						P			X			
P		<a href="#">Allium hemisphaericum</a>						R			X			
P		<a href="#">Allium hirtovaginatium</a>						P			X			
P		<a href="#">Allium lopadusanum</a>						R			X			
I		<a href="#">Allophylax costatipennis costatipennis</a>						R						X
I		<a href="#">Alphasida puncticollis moltonii</a>						R				X		
I		<a href="#">Alphasida puncticollis moltonii</a>						R				X		
I		<a href="#">Anaspis akaira</a>						P				X		
P		<a href="#">Anthemis lopadusana</a>						P			X			
I		<a href="#">Anthrenus biskrensis</a>						R						X
I		<a href="#">Aphodius beduinus</a>						R						X
I		<a href="#">Aphodius vitellinus</a>						R						X
I		<a href="#">Asida minima</a>						P			X			
I		<a href="#">Attalus sicanus</a>						R				X		
P		<a href="#">Bellium minutum</a>						R			X			
I		<a href="#">Brachycerus schatzmayri</a>						R						X

P		<a href="#">Bryonia acuta</a>						R			X			
I		<a href="#">Calliptamus italicus grandis</a>						P			X			
I		<a href="#">Campalita algerica</a>						R						X
P		<a href="#">Caralluma europaea subsp. europaea</a>						R			X			
P		<a href="#">Carlina involucreta</a>						P			X			
P		<a href="#">Centaurea acaulis</a>						P			X			
R	1274	<a href="#">Chalcides ocellatus</a>						P	X					
P		<a href="#">Chiliadenus lopadusanus</a>						R			X			
P		<a href="#">Cistus parviflorus</a>						P			X			
I		<a href="#">Colotes punctatus</a>						R						X
I		<a href="#">Creoleon griseus</a>						R				X		
P		<a href="#">Crucianella rupestris</a>						R			X			
I		<a href="#">Cryptophagus fasciatus</a>						R						X
I		<a href="#">Cryptops punicus</a>						R						X
I		<a href="#">Cymidis (Cymindis) laevistriata</a>						R						X
I		<a href="#">Dasytidius ragusai</a>						R						X
P		<a href="#">Daucus gingidium subsp. rupestris</a>						P			X			
P		<a href="#">Daucus lopadusanus</a>						R			X			
P		<a href="#">Diplotaxis scaposa</a>						P			X			
I		<a href="#">Dixus interruptus</a>						R						X
I		<a href="#">Dreuxius lopadusae</a>						R			X			
I		<a href="#">Dyschirius armatus</a>						R						X
I		<a href="#">Erodium (Erodium) audouini destefanii</a>						R				X		
P		<a href="#">Eruca vesicaria subsp. longirostris</a>						P			X			
P		<a href="#">Euphorbia dendroides</a>						C					X	
P		<a href="#">Euphorbia exigua var. pycnophylla</a>						P			X			
I		<a href="#">Eutagenia aegyptiaca tunisea</a>						R						X
I		<a href="#">Heliopathes avarus avarus</a>						R				X		
I		<a href="#">Heliotaurus seidlitzii</a>						R						X
P		<a href="#">Heliotropium dolosum</a>						P			X			
I		<a href="#">Heterogamodes ursina</a>						R						X
I		<a href="#">Himantarium mediterraneum</a>						R						X
I		<a href="#">Hymatismus (Curimosphena) villosus</a>						R						X
P		<a href="#">Hypericum aegypticum</a>						P			X			
I		<a href="#">Julodis onopordi lampedusanus</a>						R				X		
P		<a href="#">Juniperus phoenicea</a>						R			X			
P		<a href="#">Launaea nudicaulis</a>						P			X			
I		<a href="#">Leptotyphlopsis lopadusae</a>						R				X		
P		<a href="#">Limoniastrum monopetalum</a>						P			X			
P		<a href="#">Limonium albiduum</a>						R			X			
P		<a href="#">Limonium avei</a>						P			X			
P		<a href="#">Limonium echioides</a>						P			X			
P		<a href="#">Limonium lopadusanum</a>						R			X			
P		<a href="#">Linaria reflexa subsp. lubbockii</a>						R			X			
I		<a href="#">Machlopsis doderoi</a>						P			X			
R		<a href="#">Macroprotodon cucullatus</a>						P					X	
R		<a href="#">Malpolon monspessulanus</a>						P					X	
P		<a href="#">Matricaria aurea</a>						P			X			
I		<a href="#">Meloe brevicollis</a>						R						X

I		<a href="#">Meloe mediterraneus</a>								R								X
I		<a href="#">Meloe murinus</a>								R								X
I		<a href="#">Metopthalmus siculus</a>								P				X				
I		<a href="#">Microtelus lethierryi</a>								R								X
I		<a href="#">Mordellistena irritans</a>								P				X				
I		<a href="#">Nannophilus eximius</a>								R								X
I		<a href="#">Neumatona depressa</a>								R								X
I		<a href="#">Niphona picticornis</a>								R								X
I		<a href="#">Niptodes elongatus</a>								R				X				
I		<a href="#">Niptodes nobilis</a>								R				X				
P		<a href="#">Oglifa lojaconoi</a>								P				X				
I		<a href="#">Opatrum validum rottenbergi</a>								R				X				
P		<a href="#">Ophrys scolopax</a>								P							X	
I		<a href="#">Otiorhynchus (Arammichnus) lopadusae</a>								P				X				
I		<a href="#">Pachychila (Pachychila) tazmaltensis</a>								R				X				
I		<a href="#">Pachychila (Pachychilina) dejeani doderoi</a>								R				X				
I		<a href="#">Pachydema hirticollis</a>								R								X
I		<a href="#">Pamphagus ortolaniae</a>								P				X				
I		<a href="#">Parmena algirica</a>								R								X
P		<a href="#">Paronychia arabica subsp. longiseta</a>								P				X				
B		<a href="#">Phoenicuros moussieri</a>								R								X
I		<a href="#">Pseudoeudesis sulcipennis lampedusae</a>								R				X				
I		<a href="#">Psylliodes hospes</a>								R								X
I		<a href="#">Pterolepis pedata</a>								P				X				
I		<a href="#">Pyrgomorpha conica conica</a>								P				X				
P		<a href="#">Reichardia tingitana</a>								R				X				
I		<a href="#">Rhacocleis berberica dubronyi</a>								P				X				
P		<a href="#">Scilla dimartinoi</a>								R				X				
I		<a href="#">Scymnus pavesii</a>								P				X				
P		<a href="#">Silene behen</a>								P				X				
P		<a href="#">Silene muscipula</a>								P				X				
P		<a href="#">Silene rubella subsp. turbinata</a>								P				X				
I		<a href="#">Smicromyrme lampedusia</a>								P				X				
I		<a href="#">Sphingonotus azureus</a>								P				X				
I		<a href="#">Stenosis brignonei</a>								P				X				
P		<a href="#">Suaeda pelagica</a>								R				X				
I		<a href="#">Tentyria grossa sommierii</a>								R				X				
I		<a href="#">Torneuma clandestinum</a>								R				X				
I		<a href="#">Torneuma extinguendum</a>								R				X				
I		<a href="#">Trachyphloeus melitensis</a>								R				X				
I		<a href="#">Trachyscelis aphodioides lopadusae</a>								R				X				
P		<a href="#">Triglochin bulbosum subsp. barrelieri</a>								P				X				
I		<a href="#">Truxalis nasuta</a>								R				X				
I		<a href="#">Tylos europaeus</a>								R								X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons



## 4. SITE DESCRIPTION

[Back to top](#)

### 4.1 General site character

Habitat class	% Cover
N15	8.0
N05	18.0
N09	32.0
N22	12.0
N20	10.0
N08	17.0
N23	3.0
<b>Total Habitat Cover</b>	<b>100</b>

### Other Site Characteristics

L'area del SIC ricade nel comune di Lampedusa e Linosa e comprende l'isola di Lampedusa ed il disabitato isolotto di Lampione. L'isola di Lampedusa, estesa su 20,2 kmq e localizzata nel Canale di Sicilia a 128 Km dalla costa della Tunisia ed ad una distanza quasi doppia dalla Sicilia, è costituita da calcari stratificati bianchi miocenici, ed appartiene alla piattaforma continentale africana. Al nord-africa Lampedusa è stata collegata nel periodo pontico-pliocenico. L'isola dal punto di vista morfologico è rappresentata da un tavolato con massima altitudine di m 133, solcato da incisioni più o meno profonde che sboccano in numerose cale nella parte meridionale, mentre la costa settentrionale si presenta invece scoscesa ed è caratterizzata da un sistema di falesie. Il bioclina è stato riferito al tipo termo-mediterraneo semiarido secondo la classificazione di Rivas-Martinez; le piogge risultano comunque estremamente variabili di anno in anno e notevole importanza rivestono le precipitazioni occulte. Simile a Lampedusa per caratteristiche geologiche e climatiche è il piccolo isolotto di Lampione. Sotto l'aspetto vegetazionale di un certo rilievo sono le formazioni arbustive (Periplocion angustifoliae e Cisto-Ericion), alofilo-rupicole ( Crithmo-Limonietea) e le alo-nitrofile (Pegano-Salsoletea). Si tratta di ambienti insulari estremamente interessanti nonostante il pesante degrado di origine antropica per attività turistica cui sono stati sottoposti.

### 4.2 Quality and importance

Di grande interesse fitogeografico, zoologico. Il territorio include aree di notevole importanza naturalistico-ambientale, con aspetti di vegetazione xerofila peculiari, nel cui ambito sono rappresentate numerose specie vegetali di rilevante interesse fitogeografico, diverse delle quali esclusive; in molti casi sono anche presenti specie rare o del tutto assenti nel territorio italiano. Numerose le specie di insetti endemici esclusivi di Lampedusa. Particolarmente importante dal punto di vista ornitologico è la popolazione di Falco eleonorae presente a Lampedusa e Lampione. Per quanto riguarda l'erpetofauna, interessante è la presenza a Lampedusa di due ofidi di origine nordafricana e la storica zona di ovideposizione della Caretta caretta nella spiaggia dell'isola dei conigli.

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	D02		b
H	E01		b
M	E03		i
M	C01.01.01		i
H	A10		i
M	D01		i
M	H06.01		b
M	G05.05		b
M	G01.03		i
H	H05.01		b
M	A04.01.05		i
H	F03		b
L	E04.02		i
M	J02.09		b
M	J03.02		i
M	B01.02		i
H	G05.01		i
M	D04		o

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

### 4.4 Ownership (optional)

### 4.5 Documentation

AA.VV., 1995 - Arthropoda di Lampedusa, Linosa e Pantelleria - Naturalista sicil., XIX (suppl.), 900 pp.BARTOLO G., BRULLO S., MINISSALE P. & SPAMPINATO G., 1988 - Flora e vegetazione dell'Isola di Lampedusa - Boll. Acc. Gioenia Sci. Nat., 21: 119-255.BULGARINI F., CALVARIO E., FRATICELLI F., PETRETTI F. & SARROCCO S. (Eds), 1998 - Libro Rosso degli Animali d'Italia. Vertebrati - WWF Italia, Roma.CERFOLLI F., PETRASSI F. & PETRETTI F. (Eds), 2002 - Libro Rosso degli Animali d'Italia. Invertebrati - WWF Italia, Roma.CONTI F., MANZI A. & PEDROTTI F., 1992 - Libro rosso delle piante d'Italia - Società Botanica Italiana e Associazione Italiana per il World Wildlife Fund, Camerino (MC), 637 pp.CONTI F., MANZI A. & PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia - Società Botanica Italiana e Associazione Italiana per il World Wildlife Fund, Camerino (MC), 104 pp.GRIMMETT R.F.A. & JONES T.A., 1989 - Important Bird Area in Europe - ICBP Technical Publication N.9, 900 pp.IAPICHINO C. & MASSA B., 1989 - The Birds of Sicily - B.O.U. Checklist n. 11, London.LO VALVO F., 1998 - Status e conservazione dell'erpetofauna siciliana - Naturalista sicil., XXII: 53-71.LO VALVO M., MASSA B. & SARÀ M., 1993 - Uccelli e paesaggio in Sicilia alle soglie del terzo millennio - Naturalista sicil., XVII: 1-376.LOJACONO-POJERO M., 1888-1909 - Flora Sicula o descrizione delle piante spontanee o indigenate in Sicilia - Palermo, 5 voll.PAVAN M. (a cura), 1992 - Contributo per un "Libro Rosso" della fauna e della flora minacciate in Italia - Ist. Entom. Univ. Pavia, 720 pp.RIGGIO S. & MASSA B., 1975 - Problemi di conservazione della natura in Sicilia. 1° contributo per un'analisi della degradazione ambientale ed elenco delle aree dell'isola di maggiore interesse naturalistico - Atti IV Simp. naz. Conserv. Natura, Bari, 2: 299-425.SOCIETAS HERPETOLOGICA ITALICA, 1996 - Atlante provvisorio degli Anfibi e Rettili italiani - Annali Mus. Civ. St. nat. G.Doria, Genova, 91: 95-178.SPACACIO I., 1993-



## 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT05	35.0	IT11	90.0	IT13	5.0

### 5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT05	RNO Isola di Lampedusa	*	95.0

designated at international level:

Type	Site name	Type	Cover [%]
------	-----------	------	-----------

### 5.3 Site designation (optional)

## 6. SITE MANAGEMENT

[Back to top](#)

### 6.1 Body(ies) responsible for the site management:

### 6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piano di gestione Isole Pelagie decreto n.861 del 15/11/2010 Link: _____
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

### 6.3 Conservation measures (optional)

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

61150 61160 1:10000 UTM32N WGS84